



SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as
amended by Commission Regulation (EU)
2020/878

Valvoline™ UNITRAC SAE 80W INDUSTRIAL
OIL

Version: 12.0

Revision Date: 18.02.2026

Print Date: 14/10/2026

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Valvoline™ UNITRAC SAE 80W
INDUSTRIAL OIL

Product code : VE17106

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Gear and lubricating oil.

1.3 Details of the supplier of the safety data sheet

Company : Ellis Enterprises B.V., an affiliate of Valvoline Global
Operations
Wieldrechtseweg 39
3316 BG Dordrecht
Netherlands

Telephone : +31 (0)78 654 3500 (in the Netherlands), or contact your local
CSR contact person

E-mail address of person : SDS@valvolineglobal.com
responsible for the SDS

1.4 Emergency telephone number

+1-800-VALVOLINE (+1-800-825-8654), or contact your local emergency telephone number
at 112

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Long-term (chronic) aquatic hazard, Category 3 H412: Harmful to aquatic life with long lasting effects.

2.2 Label elements

Classification (REGULATION (EC) No 1272/2008)

Hazard statements : H412 Harmful to aquatic life with long lasting effects.



SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as
amended by Commission Regulation (EU)
2020/878

Valvoline™ UNITRAC SAE 80W INDUSTRIAL
OIL

Version: 12.0

Revision Date: 18.02.2026

Print Date: 14/10/2026

Precautionary statements :

Prevention:

P273 Avoid release to the environment.

Disposal:

P501 Dispose of contents/ container to an approved
waste disposal plant.

Additional Labelling

EUH208 Contains 2-tetradecyloxirane, reaction products with boric acid, triphenyl
phosphite. May produce an allergic reaction.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative
and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have
endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated
regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have
endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated
regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
---------------	---	----------------	--------------------------

Mineral Oil - mixture	Not Assigned 01-2119484627-25- xxxx, 01- 2119471299-27- xxxx, 01- 2119487077-29-	Asp. Tox. 1; H304	>= 2,5 - < 5
-----------------------	---	-------------------	--------------

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as
amended by Commission Regulation (EU)
2020/878

Valvoline™ UNITRAC SAE 80W INDUSTRIAL
OIL

Version: 12.0

Revision Date: 18.02.2026

Print Date: 14/10/2026

	xxxx, 01- 2119480132-48-xxxx		
zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate)	4259-15-8 224-235-5 01-2119493635-27- xxxx	Eye Dam. 1; H318 Aquatic Chronic 2; H411 specific concentration limit Eye Dam. 1; H318 > 50 - 100 % Eye Irrit. 2; H319 > 50 % Eye Dam. 1; H318 > 80 %	>= 1 - < 2,5
2-tetradecyloxirane, reaction products with boric acid	Not Assigned 701-392-2 01-2119976364-28	Skin Sens. 1B; H317	>= 0,5 - < 1
triphenyl phosphite	101-02-0 202-908-4 015-105-00-7 01-2119511213-58- xxxx	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1; H317 STOT RE 2; H373 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 specific concentration limit Skin Irrit. 2; H315 >= 5 % Eye Irrit. 2; H319 >= 5 % Acute toxicity estimate Acute oral toxicity: 1.590 mg/kg	>= 0,1 - < 0,25
Substances with a workplace exposure limit :			
Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified	64742-54-7 265-157-1 649-467-00-8		>= 80 - < 90

For explanation of abbreviations see section 16.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as
amended by Commission Regulation (EU)
2020/878

Valvoline™ UNITRAC SAE 80W INDUSTRIAL
OIL

Version: 12.0

Revision Date: 18.02.2026

Print Date: 14/10/2026

SECTION 4: First aid measures

4.1 Description of first aid measures

- | | | |
|-------------------------|---|---|
| General advice | : | Move out of dangerous area.
Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended. |
| If inhaled | : | If unconscious, place in recovery position and seek medical advice.
If symptoms persist, call a physician. |
| In case of skin contact | : | If on skin, rinse well with water.
If on clothes, remove clothes.
If skin irritation persists, call a physician.

If on skin, rinse well with water. |
| In case of eye contact | : | Flush eyes with water as a precaution.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist. |
| If swallowed | : | Keep respiratory tract clear.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician. |

4.2 Most important symptoms and effects, both acute and delayed

- | | | |
|----------|---|--|
| Symptoms | : | Symptoms caused by an allergic reaction can be immediate or may be delayed up to several hours after exposure.

No symptoms known or expected. |
|----------|---|--|

4.3 Indication of any immediate medical attention and special treatment needed

- | | | |
|-----------|---|--|
| Treatment | : | No hazards which require special first aid measures.

Treat symptomatically. |
|-----------|---|--|

SECTION 5: Firefighting measures

5.1 Extinguishing media

- | | | |
|------------------------------|---|--|
| Suitable extinguishing media | : | Use water spray, alcohol-resistant foam, dry chemical or |
|------------------------------|---|--|



SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as
amended by Commission Regulation (EU)
2020/878

Valvoline™ UNITRAC SAE 80W INDUSTRIAL
OIL

Version: 12.0

Revision Date: 18.02.2026

Print Date: 14/10/2026

carbon dioxide.

Unsuitable extinguishing media : High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during firefighting : Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products : carbon dioxide and carbon monoxide

5.3 Advice for firefighters

Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.

Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as
amended by Commission Regulation (EU)
2020/878

Valvoline™ UNITRAC SAE 80W INDUSTRIAL
OIL

Version: 12.0

Revision Date: 18.02.2026

Print Date: 14/10/2026

SECTION 7: Handling and storage

7.1 Precautions for safe handling

- Advice on safe handling : Do not breathe vapours/dust.
Avoid exposure - obtain special instructions before use.
Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Dispose of rinse water in accordance with local and national regulations.
Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.
- Advice on protection against fire and explosion : Normal measures for preventive fire protection.
- Hygiene measures : Wash hands before breaks and at the end of workday.

7.2 Conditions for safe storage, including any incompatibilities

- Requirements for storage areas and containers : Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Electrical installations / working materials must comply with the technological safety standards.
- Further information on storage stability : No decomposition if stored and applied as directed.

7.3 Specific end use(s)

- Specific use(s) : No data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified	64742-54-7	TWA (Particles (mist))	1 mg/m ³	IS OEL

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as
amended by Commission Regulation (EU)
2020/878

Valvoline™ UNITRAC SAE 80W INDUSTRIAL
OIL

Version: 12.0

Revision Date: 18.02.2026

Print Date: 14/10/2026

8.2 Exposure controls

Personal protective equipment

Eye/face protection	:	Eye wash bottle with pure water Tightly fitting safety goggles
Hand protection	:	
Remarks	:	The suitability for a specific workplace should be discussed with the producers of the protective gloves.
Skin and body protection	:	Impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Respiratory protection	:	No personal respiratory protective equipment normally required.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	liquid
Colour	:	clear
Odour	:	oily
Odour Threshold	:	No data available
Pour point	:	< -33,00 °C
Boiling point/boiling range	:	> 225,00 °C
Flammability	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	238 °C Method: Cleveland open cup
Decomposition temperature	:	No data available
pH	:	Not applicable

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as
amended by Commission Regulation (EU)
2020/878

Valvoline™ UNITRAC SAE 80W INDUSTRIAL
OIL

Version: 12.0

Revision Date: 18.02.2026

Print Date: 14/10/2026

Viscosity	
Viscosity, dynamic	: No data available
Viscosity, kinematic	: 60 mm ² /s (40 °C)
	10 mm ² /s (100 °C)
Solubility(ies)	
Water solubility	: insoluble
Solubility in other solvents	: No data available
Vapour pressure	: No data available
Relative density	: No data available
Density	: 0,877 g/cm ³ (15,6 °C)
Relative vapour density	: No data available
Particle characteristics	
Particle size	: Not applicable

9.2 Other information

Oxidizing properties	: No data available
Self-ignition	: No data available
	No data available
Evaporation rate	: No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions : No decomposition if stored and applied as directed.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as
amended by Commission Regulation (EU)
2020/878

Valvoline™ UNITRAC SAE 80W INDUSTRIAL
OIL

Version: 12.0

Revision Date: 18.02.2026

Print Date: 14/10/2026

10.4 Conditions to avoid

Conditions to avoid : None known.

10.5 Incompatible materials

Materials to avoid : Strong oxidizing agents

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

Components:

zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate):

Acute oral toxicity	:	LD50 (Rat): 3.100 mg/kg Method: OECD Test Guideline 401
Acute dermal toxicity	:	LD50 (Rabbit, male): > 5.000 mg/kg Method: OECD Test Guideline 402

triphenyl phosphite:

Acute oral toxicity	:	LD50 (Rat, male): 1,59 g/kg Method: OECD Test Guideline 401
Acute inhalation toxicity	:	LC50 (Rat): > 6,7 mg/l Exposure time: 1 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Assessment: The substance or mixture has no acute inhalation toxicity
Acute dermal toxicity	:	LD50 (Rabbit): > 2 - < 5 g/kg Method: OECD Test Guideline 402

Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified:

Acute oral toxicity	:	LD50 (Rat): > 15 g/kg
Acute dermal toxicity	:	LD50 (Rabbit): > 5 g/kg

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as
amended by Commission Regulation (EU)
2020/878

Valvoline™ UNITRAC SAE 80W INDUSTRIAL
OIL

Version: 12.0

Revision Date: 18.02.2026

Print Date: 14/10/2026

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Components:

zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate):

Result	: Slight, transient irritation
--------	--------------------------------

triphenyl phosphite:

Species	: Guinea pig
Result	: Skin irritation

Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified:

Assessment	: Slight, transient irritation
Result	: Slight, transient irritation

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Components:

zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate):

Result	: Corrosive
--------	-------------

triphenyl phosphite:

Species	: Rabbit
Result	: Eye irritation

Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified:

Assessment	: No eye irritation
Result	: No eye irritation

Respiratory or skin sensitisation

Skin sensitisation

Based on available data, the classification criteria are not met.

Respiratory sensitisation

Based on available data, the classification criteria are not met.

Components:

zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate):

Result	: Did not cause sensitisation on laboratory animals.
--------	--

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as
amended by Commission Regulation (EU)
2020/878

Valvoline™ UNITRAC SAE 80W INDUSTRIAL
OIL

Version: 12.0

Revision Date: 18.02.2026

Print Date: 14/10/2026

2-tetradecyloxirane, reaction products with boric acid:

Assessment : The product is a skin sensitiser, sub-category 1B.

triphenyl phosphite:

Result : May cause sensitisation by skin contact.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Components:

triphenyl phosphite:

Genotoxicity in vitro : Test Type: Ames test
Test system: Salmonella typhimurium
Metabolic activation: with and without metabolic activation
Result: negative

Carcinogenicity

Based on available data, the classification criteria are not met.

Components:

Mineral Oil - mixture:

Carcinogenicity - Assessment : Classified based on DMSO extract content < 3% (Regulation (EC) 1272/2008, Annex VI, Part 3, Note L)

Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified:

Carcinogenicity - Assessment : Classified based on DMSO extract content < 3% (Regulation (EC) 1272/2008, Annex VI, Part 3, Note L)

Reproductive toxicity

Based on available data, the classification criteria are not met.

Components:

zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate):

Reproductive toxicity - Assessment : No evidence of adverse effects on sexual function and fertility, or on development, based on animal experiments.

STOT - single exposure

Based on available data, the classification criteria are not met.

STOT - repeated exposure

Based on available data, the classification criteria are not met.



SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as
amended by Commission Regulation (EU)
2020/878

Valvoline™ UNITRAC SAE 80W INDUSTRIAL
OIL

Version: 12.0

Revision Date: 18.02.2026

Print Date: 14/10/2026

Components:

triphenyl phosphite:

Assessment : May cause damage to organs through prolonged or repeated exposure.

Aspiration toxicity

Based on available data, the classification criteria are not met.

Components:

Mineral Oil - mixture:

May be fatal if swallowed and enters airways.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Further information

Product:

Remarks : No data available

SECTION 12: Ecological information

12.1 Toxicity

Components:

zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate):

Toxicity to fish : LC50 (*Oncorhynchus mykiss* (rainbow trout)): 4,4 mg/l
Exposure time: 96 h
Test Type: semi-static test
Test substance: WAF
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EL50 (*Daphnia magna* (Water flea)): 75 mg/l
Exposure time: 48 h

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as
amended by Commission Regulation (EU)
2020/878

Valvoline™ UNITRAC SAE 80W INDUSTRIAL
OIL

Version: 12.0

Revision Date: 18.02.2026

Print Date: 14/10/2026

	Test Type: static test
	Test substance: WAF
	Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	: EL50 (Desmodesmus subspicatus (green algae)): 410 mg/l
	End point: Growth inhibition
	Exposure time: 72 h
	Test Type: static test
	Test substance: WAF

triphenyl phosphite:

Ecotoxicology Assessment

Acute aquatic toxicity	: Very toxic to aquatic life.
Chronic aquatic toxicity	: Very toxic to aquatic life with long lasting effects.

12.2 Persistence and degradability

Components:

zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate):

Biodegradability	: Result: Not biodegradable
	Biodegradation: < 5 %
	Exposure time: 27 d
	Method: OECD Test Guideline 301D

triphenyl phosphite:

Biodegradability	: Result: Readily biodegradable.
	Biodegradation: 84 %
	Exposure time: 28 d
	Method: OECD Test Guideline 301D

12.3 Bioaccumulative potential

Components:

triphenyl phosphite:

Partition coefficient: n-octanol/water	: log Pow: 6,62
	Remarks: QSAR

12.4 Mobility in soil

No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as
amended by Commission Regulation (EU)
2020/878

Valvoline™ UNITRAC SAE 80W INDUSTRIAL
OIL

Version: 12.0

Revision Date: 18.02.2026

Print Date: 14/10/2026

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Components:

zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate):

Assessment : **Not persistent, bioaccumulative, and toxic (PBT).**

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological information : No data available

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Harmful to aquatic life with long lasting effects.

Global warming potential

Assessment Report of the Intergovernmental Panel on Climate Change (IPCC) of the United Nations Framework Convention on Climate Change (UNFCCC)

Components:

octamethylcyclotetrasiloxane [D4]:

20-year global warming potential: **2,66**
100-year global warming potential: **0,739**
500-year global warming potential: **0,211**
Atmospheric lifetime: **0,027 yr**
Radiative efficiency: **0,12 Wm2ppb**
Further information: **Miscellaneous compounds**
No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as
amended by Commission Regulation (EU)
2020/878

Valvoline™ UNITRAC SAE 80W INDUSTRIAL
OIL

Version: 12.0

Revision Date: 18.02.2026

Print Date: 14/10/2026

SECTION 13: Disposal considerations

13.1 Waste treatment methods

- | | | |
|------------------------|---|--|
| Product | : | The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company. |
| Contaminated packaging | : | Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers. |
| Waste Code | : | The Waste code should be assigned in discussion between the user and the waste disposal company.
The following Waste Codes are only suggestions:
13 02 05, mineral-based non-chlorinated engine, gear and lubricating oils |

SECTION 14: Transport information

14.1 UN number or ID number

- | | | |
|--------|---|-----------------------------------|
| ADR | : | Not regulated as a dangerous good |
| IMDG | : | Not regulated as a dangerous good |
| IATA_P | : | Not regulated as a dangerous good |

14.2 UN proper shipping name

- | | | |
|--------|---|-----------------------------------|
| ADR | : | Not regulated as a dangerous good |
| IMDG | : | Not regulated as a dangerous good |
| IATA_P | : | Not regulated as a dangerous good |

14.3 Transport hazard class(es)

- | | | |
|--------|---|-----------------------------------|
| ADR | : | Not regulated as a dangerous good |
| IMDG | : | Not regulated as a dangerous good |
| IATA_P | : | Not regulated as a dangerous good |

14.4 Packing group

- | | | |
|-----|---|-----------------------------------|
| ADR | : | Not regulated as a dangerous good |
|-----|---|-----------------------------------|



SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as
amended by Commission Regulation (EU)
2020/878

Valvoline™ UNITRAC SAE 80W INDUSTRIAL
OIL

Version: 12.0

Revision Date: 18.02.2026

Print Date: 14/10/2026

IMDG	:	Not regulated as a dangerous good
IATA (Cargo)	:	Not regulated as a dangerous good
IATA_P (Passenger)	:	Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	:	Conditions of restriction for the following entries should be considered: Number on list 3 Number on list 75: If you intend to use this product as tattoo ink, please contact your vendor.
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).	:	Not applicable
REACH - List of substances subject to authorisation (Annex XIV)	:	Not applicable
Regulation (EU) No 2024/590 on substances that deplete the ozone layer	:	Not applicable
Regulation (EU) 2019/1021 on persistent organic pollutants (recast)	:	Not applicable
Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.	:	Not applicable

Other regulations:

Take note of Directive 92/85/EEC regarding maternity protection or stricter national regulations, where applicable.



SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as
amended by Commission Regulation (EU)
2020/878

Valvoline™ UNITRAC SAE 80W INDUSTRIAL
OIL

Version: 12.0

Revision Date: 18.02.2026

Print Date: 14/10/2026

The components of this product are reported in the following inventories:

TW TCSI	: Not in compliance with the inventory
US TSCA	: All substances listed as active on the TSCA inventory
AU AIIC	: On the inventory, or in compliance with the inventory
CA. DSL	: All components of this product are on the Canadian DSL
JP ENCS	: Not in compliance with the inventory
KR KECI	: On the inventory, or in compliance with the inventory
PH PICCS	: Not in compliance with the inventory
CN IECSC	: On the inventory, or in compliance with the inventory

15.2 Chemical safety assessment

No data available

Inventories

AIIC (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TECI (Thailand), TSCA (USA)

SECTION 16: Other information

Full text of H-Statements

H302	: Harmful if swallowed.
H304	: May be fatal if swallowed and enters airways.
H315	: Causes skin irritation.
H317	: May cause an allergic skin reaction.
H318	: Causes serious eye damage.
H319	: Causes serious eye irritation.
H373	: May cause damage to organs through prolonged or repeated exposure.
H400	: Very toxic to aquatic life.
H410	: Very toxic to aquatic life with long lasting effects.
H411	: Toxic to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox.	: Acute toxicity
Aquatic Acute	: Short-term (acute) aquatic hazard
Aquatic Chronic	: Long-term (chronic) aquatic hazard



SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as
amended by Commission Regulation (EU)
2020/878

Valvoline™ UNITRAC SAE 80W INDUSTRIAL
OIL

Version: 12.0

Revision Date: 18.02.2026

Print Date: 14/10/2026

Asp. Tox.	: Aspiration hazard
Eye Dam.	: Serious eye damage
Eye Irrit.	: Eye irritation
Skin Irrit.	: Skin irritation
Skin Sens.	: Skin sensitisation
STOT RE	: Specific target organ toxicity - repeated exposure
IS OEL	: Iceland. Regulation on occupational exposure limits.
IS OEL / TWA	: Long term exposure limit

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonised System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organisation; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardisation; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organisation for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

Internal information : R0517113

Classification of the mixture:

Classification procedure:



SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as
amended by Commission Regulation (EU)
2020/878

Valvoline™ UNITRAC SAE 80W INDUSTRIAL
OIL

Version: 12.0

Revision Date: 18.02.2026

Print Date: 14/10/2026

Aquatic Chronic 3

H412

Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

IS / EN